Journal of Applied Microbiology

Edited by

A. Gilmour and A. F. Godfree

Volume 99, 2005

Copyright © 2005 The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

Print ISSN 1364-5072
Online ISSN 1365-2672

Published by
Blackwell Publishing Ltd
OXFORD BOSTON MELBOURNE BERLIN
COPENHAGEN TOKYO AMES

Contents

Volume 99, Issue 1, July 2005

1 Author guidelines

7 A REVIEW: Human safety and genetically modified plants: a review of antibiotic resistance markers and future transformation selection technologies *D.A. Goldstein, B. Tinland, L.A. Gilbertson, J.M. Staub, G.A. Bannon, R.E. Goodman, R.L. McCoy & A. Silvanovich*

24 Use of green fluorescent protein-based reporters to monitor balanced production of antifungal compounds in the biocontrol agent *Pseudomonas fluorescens* CHA0 *E. Baehler, M. Bottiglieri, M. Péchy-Tarr, M. Maurhofer & C. Keel*

39 Oxygen and photoinactivation of *Escherichia coli* in UVA and sunlight *R. Khaengraeng & R.H. Reed*

51 Species-specific oligonucleotide probes for the detection and identification of *Lactobacillus* isolated from mouse faeces *S.H. Park & K. Itoh*

58 Declines of zoonotic agents in liquid livestock wastes stored in batches on-farm *M.L. Hutchison, L.D. Walters, A. Moore & S.M. Avery*

66 Shelf life and safety aspects of chilled cooked and peeled shrimps (*Pandalus borealis*) in modified atmosphere packaging *O. Mejlholm, N. Bøknæs & P. Dalgaard*

77 Antimicrobial activity of lactic acid bacteria isolated from Tenerife cheese: initial characterization of plantaricin TF711, a bacteriocin-like substance produced by *Lactobacillus plantarum* TF711 *D. Hernández, E. Cardell & V. Zárate*

85 Evidence for viable but nonculturable yeasts in botrytis-affected wine *B. Divol & A. Lonvaud-Funel*

94 Occurrence of sublethal injury after pulsed electric fields depending on the micro-organism, the treatment medium ph and the intensity of the treatment investigated *D. García, N. Gómez, P. Mañas, S. Condón, J. Raso & R. Pagán*

105 Interactions between *Saccharomyces cerevisiae* and malolactic bacteria: preliminary characterization of a yeast proteinaceous compound(s) active against *Oenococcus oeni* *F. Comitini, R. Ferretti, F. Clementi, I. Mannazzu & M. Ciani*

112 Upregulation of *ALD3* and *GPD1* in *Saccharomyces cerevisiae* during Icewine fermentation *G.M. Pigeau & D.L. Inglis*

126 Overland flow delivery of faecal bacteria to a headwater pastoral stream *R. Collins, S. Elliott & R. Adams*

133 Antimicrobial susceptibility and pulsed-field gel electrophoresis of *Shigella sonnei* strains in Malaysia (1997–2000) *C.H. Hoe, R.M. Yasin, Y.T. Koh & K.L. Thong*

141 *Enterococcus faecium* F58, a bacteriocinogenic strain naturally occurring in Jben, a soft, farmhouse goat's cheese made in Morocco *F. Achemchem, M. Martínez-Bueno, J. Abrini, E. Valdivia & M. Maqueda*

151 Poly(β-hydroxybutyrate) production by a moderate halophile, *Halomonas boliviensis* LC1 using starch hydrolysate as substrate *J. Quillaguamán, S. Hashim, F. Bento, B. Mattiasson & R. Hatti-Kaul*

158 Enterotoxigenic *Staphylococcus aureus* in bulk milk in Norway *H.J. Jørgensen, T. Mørk, H.R. Høgåsen & L.M. Rørvik*

167 Optimization of technical conditions for the transformation of *Lactobacillus acidophilus* strains by electroporation *Y.H. Kim, K.S. Han, S. Oh, S. You & S.H. Kim*

175 Profiling bacterial survival through a water treatment process and subsequent distribution system *D. Hoefel, P.T. Monis, W.L. Grooby, S. Andrews & C.P. Saint*

187 Estimating non-isothermal bacterial growth in foods from isothermal experimental data *M.G. Corradini & M. Peleg*

201 Lactate is mainly fermented to butyrate by human intestinal microfloras but inter-individual variation is evident *C. Bourriaud, R.J. Robins, L. Martin, F. Kozlowski, E. Tenailleau, C. Cherbut & C. Michel*

213 Biological control agent of common scab disease by antagonistic strain *Bacillus* sp. sunhua *J.S. Han, J.H. Cheng, T.M. Yoon, J. Song, A. Rajkarnikar, W.G. Kim, I.D. Yoo, Y.Y. Yang & J.W. Suh*

Volume 99, Issue 2, August 2005

223 A REVIEW: Mycobacteriophage and their application to disease control *R. McNerney & H. Traoré*

234 Prevalence, quantification and typing of adenoviruses detected in river and treated drinking water in South Africa *J. van Heerden, M.M. Ehlers, A. Heim & W.O.K. Grabow*

243 *Vibrio splendidus* biotype 1 as a cause of mortalities in hatchery-reared larval turbot, *Scophthalmus maximus* (L.) *R. Thomson, H.L. Macpherson, A. Riaza & T.H. Birkbeck*

251 Bacterial population in traditional sourdough evaluated by molecular methods *C.L. Randazzo, H. Heilig, C. Restuccia, P. Giudici & C. Caggia*

259 Matrix effects, nonuniform reduction and dispersion in risk assessment for *Escherichia coli* O157 *P. Gale*

271 Cellular injuries upon exposure of *Escherichia coli* and *Lactobacillus rhamnosus* to high-intensity ultrasound *E. Ananta, D. Voigt, M. Zenker, V. Heinz & D. Knorr*

279 Contact inactivation of orthopoxviruses by household disinfectants *W. Butcher & D. Ulaeto*

285 Antimicrobial resistance patterns of *Campylobacter* from feedlot cattle *M.D. Englen, P.J. Fedorka-Cray, S.R. Ladely & D.A. Dargatz*

292 Development of real-time PCR and hybridization methods for detection and identification of thermophilic *Campylobacter* spp. in pig faecal samples *A.N. Jensen, M.T. Andersen, A. Dalsgaard, D.L. Baggesen & E.M. Nielsen*

301 Genotypic characterization of bacteria cultured from duck faeces *J. Murphy, M.L. Devane, B. Robson & B.J. Gilpin*

310 A national study on the residential impact of biological aerosols from the land application of biosolids *J.P. Brooks, B.D. Tanner, K.L. Josephson, C.P. Gerba, C.N. Haas & I.L. Pepper*

323 Resistance pattern and assessment of phenicol agents' minimum inhibitory concentration in multiple drug resistant *Chryseobacterium* isolates from fish and aquatic habitats *C. Michel, O. Matte-Tailliez, B. Kerouault & J.-F. Bernardet*

333 Effect of protective agents, freezing temperature, rehydration media on viability of malolactic bacteria subjected to freeze-drying *G. Zhao & G. Zhang*

339 The potential spread of infection caused by aerosol contamination of surfaces after flushing a domestic toilet *J. Barker & M.V. Jones*

348 Identification of enterococcal, streptococcal and *Weissella* species in the faecal flora of individually owned dogs *E.M. De Graef, L.A. Devriese, M. Baele, M. Vancanneyt, J. Swings, F. Haesebrouck & A. Decostere*

354 Decline of zoonotic agents in livestock waste and bedding heaps *M.L. Hutchison, L.D. Walters, S.M. Avery & A. Moore*

363 Secretion of heterologous proteins in *Bacillus subtilis* can be improved by engineering cell components affecting post-translocational protein folding and degradation *M. Vitikainen, H.-L. Hyyryläinen, A. Kivimäki, V.P. Kontinen & M. Sarvas*

376 Air drying optimization of *Saccharomyces cerevisiae* through its water–glycerol dehydration properties *Y. Mille, J.-P. Girard, L. Beney & P. Gervais*

383 Molecular typing of *Vibrio parahaemolyticus* strains isolated from the Philippines by PCR-based methods *R.P. Maluping, C. Ravelo, C.R. Lavilla-Pitogo, K. Krovacek & J.L. Romalde*

392 Genotyping of *Campylobacter jejuni* strains from Danish broiler chickens by restriction fragment length polymorphism of the LPS gene cluster *K.N. Knudsen, D.D. Bang, E.M. Nielsen & M. Madsen*

400 Impact of dried skim milk in production diets on *Lactobacillus* and pathogenic bacterial shedding in growing-finishing swine *J.E. Wells, J.T. Yen & D.N. Miller*

408 Reliability of O157:H7 ID agar (O157 H7 ID-F) for the detection and isolation of verocytotoxigenic strains of *Escherichia coli* belonging to serogroup O157 *K.A. Bettelheim*

411 Use of Fourier transform infrared spectra of crude bacterial lipopolysaccharides and chemometrics for differentiation of *Salmonella enterica* serotypes *S. Kim, B.L. Reuhs & L.J. Mauer*

418 Role of curli fimbriae in mediating the cells of enterohaemorrhagic *Escherichia coli* to attach to abiotic surfaces *D.M. Pawar, M.L. Rossman & J. Chen*

426 Efficient expression of *vip184ΔP* gene under the control of promoters plus Shine-Dalgarno (SD) sequences of *cry* genes from *Bacillus thuringiensis J. Chen, F. Sun, Y. Shi, W. Xu, W. Guo & Y. Pang*

Volume 99, Issue 3, September 2005

435 A REVIEW: Molecular beacon: a multitask probe *G. Goel, A. Kumar, A.K. Puniya, W. Chen & K. Singh*

443 Effect of pulsed ultrasound in combination with gentamicin on bacterial viability in biofilms on bone cements *in vivo G.T. Ensing, B.L. Roeder, J.L. Nelson, J.R. van Horn, H.C. van der Mei, H.J. Busscher & W.G. Pitt*

449 Inactivation of *Escherichia coli* O157:H7 in biofilm on stainless steel by treatment with an alkaline cleaner and a bacteriophage *M. Sharma, J.-H. Ryu & L.R. Beuchat*

460 Factors affecting the inactivation of micro-organisms by intense light pulses *V.M. Gómez-López, F. Devlieghere, V. Bonduelle & J. Debevere*

471 Sourcing faecal pollution from onsite wastewater treatment systems in surface waters using antibiotic resistance analysis *S. Carroll, M. Hargreaves & A. Goonetilleke*

483 Nutritional requirements of mycelial growth of *Cordyceps sinensis* in submerged culture *C.-H. Dong & Y.-J. Yao*

493 Intrinsic tolerance of *Bifidobacterium* species to heat and oxygen and survival following spray drying and storage *P.J. Simpson, C. Stanton, G.F. Fitzgerald & R.P. Ross*

502 Molecular survey of aeroplane bacterial contamination *C.J. McManus & S.T. Kelley*

509 Study of β-glucosidase production by wine-related yeasts during alcoholic fermentation. A new rapid fluorimetric method to determine enzymatic activity *G. Fia, G. Giovani & I. Rosi*

518 Aflatoxin biosynthesis gene clusters and flanking regions *K.C. Ehrlich, J. Yu & P.J. Cotty*

528 Decrease of enteric micro-organisms from rural sewage sludge during their composting in straw mixture *A.-M. Pourcher, P. Morand, F. Picard-Bonnaud, S. Billaudel, S. Monpoeho, M. Federighi, V. Ferré & G. Moguedet*

540 Pilot-scale production and liquid formulation of *Rhodotorula minuta*, a potential biocontrol agent of mango anthracnose *M. Patiño-Vera, B. Jiménez, K. Balderas, M. Ortiz, R. Allende, A. Carrillo & E. Galindo*

551 Role of the N-terminal polycystic kidney disease domain in chitin degradation by chitinase A from a marine bacterium, *Alteromonas* sp. strain O-7 *H. Orikoshi, S. Nakayama, C. Hanato, K. Miyamoto & H. Tsujibo*

558 Optimization of a rapid method for studying the cellular location of β-glucosidase activity in wine yeasts *M. Arévalo Villena, J.F. Úbeda Iranzo, R.R. Cordero Otero & A.I. Briones Pérez*

565 Studies on growth and metabolism of *Oenococcus oeni* on sugars and sugar mixtures *D.-S. Zhang & R.W. Lovitt*

573 Growth and survival of bacteria implicated in sudden infant death syndrome on cot mattress materials *R.O. Jenkins & R.E. Sherburn*

580 Which lactic acid bacteria are responsible for histamine production in wine? *J.M. Landete, S. Ferrer & I. Pardo*

587 Detection of *Mycobacterium avium* subspecies *paratuberculosis* in Swiss dairy cattle by real-time PCR and culture: a comparison of the two assays *K. Bögli-Stuber, C. Kohler, G. Seitert, B. Glanemann, M.C. Antognoli, M.D. Salman, M.M. Wittenbrink, M. Wittwer, T. Wassenaar, T. Jemmi & B. Bissig-Choisat*

598 Enumeration and speciation of enterococci found in marine and intertidal sediments and coastal water in southern California *D.M. Ferguson, D.F. Moore, M.A. Getrich & M.H. Zhowandai*

609 Use of RAPD and killer toxin sensitivity in *Saccharomyces cerevisiae* strain typing *L. Corte, M. Lattanzi, P. Buzzini, A. Bolano, F. Fatichenti & G. Cardinali*

618 Evaluation of antibiotic resistance analysis and ribotyping for identification of faecal pollution sources in an urban watershed *D.F. Moore, V.J. Harwood, D.M. Ferguson, J. Lukasik, P. Hannah, M. Getrich & M. Brownell*

629 Community survey of ammonia-oxidizing bacteria in full-scale activated sludge processes with different solids retention time *S. Hallin, P. Lydmark, S. Kokalj, M. Hermansson, F. Sörensson, Å. Jarvis & P.-E. Lindgren*

641 Extracellular protease activity of different *Pseudomonas* strains: dependence of proteolytic activity on culture conditions *M. Nicodème, J.-P. Grill, G. Humbert & J.-L. Gaillard*

649 Purification and molecular characterization of antibacterial compounds produced by *Lactobacillus murinus* strain L1 *R.M.D. Nardi, M.M. Santoro, J.S. Oliveira, A.M.C. Pimenta, V.P. Ferraz, L.C. Benchetrit & J.R. Nicoli*

657 Analysis of 16S–23S intergenic spacer regions of the rRNA operons in *Edwardsiella ictaluri* and *Edwardsiella tarda* isolates from fish *V.S. Panangala, V.L. van Santen, C.A. Shoemaker & P.H. Klesius*

670 *In situ* activity of a bacteriocin-producing *Lactococcus lactis* strain. Influence on the interactions between lactic acid bacteria during sourdough fermentation *L. Settanni, O. Massitti, D. Van Sinderen & A. Corsetti*

682 *In vitro* effect of phenolic antioxidants on germination, growth and aflatoxin B_1 accumulation by peanut *Aspergillus* section Flavi *M.A. Passone, S.L. Resnik & M.G. Etcheverry*

692 Extracellular homopolysaccharides and oligosaccharides from intestinal lactobacilli *M. Tieking, S. Kaditzky, R. Valcheva, M. Korakli, R.F. Vogel & M.G. Gänzle*

Volume 99, Issue 4, October 2005

703 A REVIEW: Cationic antiseptics: diversity of action under a common epithet *P. Gilbert & L.E. Moore*

716 Physicochemical properties of Shiga toxigenic *Escherichia coli* *L. Rivas, N. Fegan & G.A. Dykes*

728 A comparative study on the production of exopolysaccharides between two entomopathogenic fungi *Cordyceps militaris* and *Cordyceps sinensis* in submerged mycelial cultures *H.O. Kim & J.W. Yun*

739 Decontamination assessment of *Bacillus anthracis*, *Bacillus subtilis*, and *Geobacillus stearothermophilus* spores on indoor surfaces using a hydrogen peroxide gas generator *J.V. Rogers, C.L.K. Sabourin, Y.W. Choi, W.R. Richter, D.C. Rudnicki, K.B. Riggs, M.L. Taylor & J. Chang*

749 Variation between strains of the cyanobacterium *Microcystis aeruginosa* isolated from a Portuguese river *M.L. Saker, J. Fastner, E. Dittmann, G. Christiansen & V.M. Vasconcelos*

758 A multiplex polymerase chain reaction to detect and differentiate *Campylobacter fetus* subspecies *fetus* and *Campylobacter fetus* -species *venerealis*: use on UK isolates of *C. fetus* and other *Campylobacter* spp. *K. Willoughby, P.F. Nettleton, M. Quirie, M.A. Maley, G. Foster, M. Toszeghy & D.G. Newell*

767 Atrazine degradation by encapsulated *Rhodococcus erythropolis* NI86/21 *T. Vancov, K. Jury & L. Van Zwieten*

776 Phenotypical and molecular characterization of *Microsporum canis* strains in north-east Brazil *R.S.N. Brilhante, M.F.G. Rocha, R.A. Cordeiro, S.H.B. Rabenhorst, T.B. Granjeiro, A.J. Monteiro & J.J.C. Sidrim*

783 Production of organic acids from fermentation of mannitol, fructooligosaccharide and inulin by a cholesterol removing *Lactobacillus acidophilus* strain *M.T. Liong & N.P. Shah*

794 Low temperature bioremediation of oil-contaminated soil using biostimulation and bioaugmentation with a *Pseudomonas* sp. from maritime Antarctica *B. Stallwood, J. Shears, P.A. Williams & K.A. Hughes*

803 New media for the semiselective isolation and enumeration of *Xanthomonas campestris* pv. *mangiferaeindicae*, the causal agent of mango bacterial black spot *O. Pruvost, P. Roumagnac, C. Gaube, F. Chiroleu & L. Gagnevin*

816 Microbiological parameters as indicators of compost maturity *S.M. Tiquia*

829 Predictive model for reduction of *Escherichia coli* during acetic acid decontamination of chicken skin *S.M. Jiménez, P. Destefanis, M.S. Salsi, M.C. Tiburzi & M.E. Pirovani*

836 Activity of some aminoglycoside antibiotics against true fungi, *Phytophthora* and *Pythium* species *H.B. Lee, Y. Kim, J.C. Kim, G.J. Choi, S.-H. Park, C.-J. Kim & H.S. Jung*

844 Survival and growth of *Enterobacter sakazakii* in infant rice cereal reconstituted with water, milk, liquid infant formula, or apple juice *G.M. Richards, J.B. Gurtler & L.R. Beuchat*

851 Survival, growth and persistence under farm conditions of a *Lactobacillus plantarum* strain inoculated into liquid pig feed *C. Plumed-Ferrer, I. Kivelä, P. Hyvönen & A. von Wright*

859 Acid resistance variability among isolates of *Salmonella enterica* serovar Typhimurium DT104 *P.A. Berk, R. de Jonge, M.H. Zwietering, T. Abee & J. Kieboom*

867 Comparison of bacterial populations and chemical composition of dairy wastewater held in circulated and stagnant lagoons *J.A. McGarvey, W.G. Miller, S. Sanchez, C.J. Silva & L.C. Whitehand*

878 Construction of transgenic *Bacillus mucilaginosus* strain with improved phytase secretion *X. Li, S.H. Yang, X.C. Yu, Z.X. Jin, W.D. Li, L. Li, J. Li & M.G. Li*

885 Effect of finishing diets on *Escherichia coli* populations and prevalence of enterohaemorrhagic *E. coli* virulence genes in cattle faeces *R.A. Gilbert, N. Tomkins, J. Padmanabha, J.M. Gough, D.O. Krause & C.S. McSweeney*

895 *In vitro* method to assess the antimicrobial activity and potential efficacy of novel types of wound dressings *R.M.S. Thorn, J. Greenman & A.J. Austin*

902 Role of antioxidant enzymes in survival of conidiospores of *Aspergillus niger* 26 under conditions of temperature stress *R. Abrashev, P. Dolashka, R. Christova, L. Stefanova & M. Angelova*

910 Solid-state fermentation of cornmeal with the basidiomycete *Ganoderma lucidum* for degrading starch and upgrading nutritional value *J.R. Han, C.H. An & J.M. Yuan*

916 Evaluation of nested PCR assays for the detection of *Legionella pneumophila* in a wide range of aquatic samples *L. Devos, K. Clymans, N. Boon & W. Verstraete*

926 Risk assessment of adenoviruses detected in treated drinking water and recreational water *J. van Heerden, M.M. Ehlers, J.C. Vivier & W.O.K. Grabow*

934 Effect of laser and environmental parameters on reducing microbial contamination of stainless steel surfaces with Nd:YAG laser irradiation *I.A. Watson, R.K. Wang, I. Peden, G.D. Ward, D.E.S. Stewart-Tull & A.C. Wardlaw*

945 Molecular characterization of a novel chitinase from *Bacillus thuringiensis* subsp. *kurstaki* *F. Driss, M. Kallassy-Awad, N. Zouari & S. Jaoua*

954 Effect of quinolone treatment on selection and persistence of quinolone-resistant *Escherichia coli* in swine faecal flora *C. Belloc, D.N. Lam, J.-L. Pellerin, F. Beaudeau & A. Laval*

960 Newly isolated *Streptomyces* spp. as enantioselective biocatalysts: hydrolysis of 1,2-O-isopropylidene glycerol racemic esters *F. Molinari, D. Romano, R. Gandolfi, R.M. Kroppenstedt & F. Marinelli*

968 Epidemiological analysis of *Salmonella enterica* ssp. *enterica* serovars Hadar, Brancaster and Enteritidis from humans and broiler chickens in Senegal using pulsed-field gel electrophoresis and antibiotic susceptibility *E. Cardinale, J.D. Perrier Gros-Claude, K. Rivoal, V. Rose, F. Tall, G.C. Mead & G. Salvat*

978 Dissimilatory Fe(III) reduction by an electrochemically active lactic acid bacterium phylogenetically related to *Enterococcus gallinarum* isolated from submerged soil *G.T. Kim, M.S. Hyun, I.S. Chang, H.J. Kim, H.S. Park, B.H. Kim, S.D. Kim, J.W.T. Wimpenny & A.J. Weightman*

Volume 99, Issue 5, November 2005

989 A REVIEW: Clinical significance of emergence of bacterial antimicrobial resistance in the hospital environment *B. Cookson*

997 Failure of the ammonia oxidation process in two pharmaceutical wastewater treatment plants is linked to shifts in the bacterial communities *L. Wittebolle, N. Boon, B. Vanparys, K. Heylen, P. De Vos & W. Verstraete*

1007 Cheddar cheese cooking temperature induces differential lactococcal cell permeabilization and autolytic responses as detected by flow cytometry: implications for intracellular enzyme accessibility *A. Sheehan, C. O'Loughlin, G. O'Cuinn, R.J. FitzGerald & M.G. Wilkinson*

1019 Growth rate and growth probability of *Listeria monocytogenes* in dairy, meat and seafood products in suboptimal conditions *J.-C. Augustin, V. Zuliani, M. Cornu & L. Guillier*

1043 *Campylobacter* susceptibility to ciprofloxacin and corresponding fluoroquinolone concentrations within the gastrointestinal tracts of chickens *M.B. Farnell, A.M. Donoghue, K. Cole, I. Reyes-Herrera, P.J. Blore & D.J. Donoghue*

1051 Development of novel *Alicyclobacillus* spp. isolation medium *S. Chang & D.-H. Kang*

1061 Screening of *Lactobacillus* spp. and *Pediococcus* spp. for glycosidase activities that are important in oenology *A. Grimaldi, E. Bartowsky & V. Jiranek*

1070 The autolytic phenotype of the *Bacillus cereus* group *N. Raddadi, A. Cherif, D. Mora, L. Brusetti, S. Borin, A. Boudabous & D. Daffonchio*

1082 Growth of *Lactobacillus plantarum* in media containing hydrolysates of fish viscera *S.J. Horn, S.I. Aspmo & V.G.H. Eijsink*

1090 Formation of nonculturable *Escherichia coli* in drinking water *L.A. Bjergbæk & P. Roslev*

1099 Generation of bioaerosols during manual mail unpacking and sorting *H. Brandl, R. Bachofen & M. Bischoff*

1108 Fatty acid analysis and spoilage potential of biofilms from two breweries *M. Timke, N.Q. Wang-Lieu, K. Altendorf & A. Lipski*

1123 Growth and exopolysaccharide production by *Lactobacillus helveticus* ATCC 15807 in an adenine-supplemented chemically defined medium *M.I. Torino, E.M. Hébert, F. Mozzi & G. Font de Valdez*

1130 Partial bioenergetic characterization of *Gluconacetobacter xylinum* cells released from cellulose pellicles by a novel methodology *J.L. Chávez-Pacheco, S. Martínez-Yee, M.L. Contreras, S. Gómez-Manzo, J. Membrillo-Hernández & J.E. Escamilla*

1141 Use of xylan-rich cost effective agro-residues in the production of xylanase by *Streptomyces cyaneus* SN32 *S. Ninawe & R.C. Kuhad*

1149 Transmission of *Campylobacter* spp. to chickens during transport to slaughter *I. Hansson, M. Ederoth, L. Andersson, I. Vågsholm & E. Olsson Engvall*

1158 Rotavirus vp7 antigen produced by *Lactococcus lactis* induces neutralizing antibodies in mice *C.A. Perez, C. Eichwald, O. Burrone & D. de Mendoza*

1165 Molecular analysis of microbial population transition associated with the start of denitrification in a wastewater treatment process *T. Hoshino, T. Terahara, S. Tsuneda, A. Hirata & Y. Inamori*

1176 Effect of the thyroid on faecal shedding of *E. coli* O157:H7 and *Escherichia coli* in naturally infected yearling beef cattle *C.L. Schultz, T.S. Edrington, S.B. Schroeder, D.M. Hallford, K.J. Genovese, T.R. Callaway, R.C. Anderson & D.J. Nisbet*

1181 Identification and production of a bacteriocin from *Enterococcus mundtii* QU 2 isolated from soybean *T. Zendo, N. Eungruttanagorn, S. Fujioka, Y. Tashiro, K. Nomura, Y. Sera, G. Kobayashi, J. Nakayama, A. Ishizaki & K. Sonomoto*

1191 Comparative typing of *Pseudomonas* species isolated from the aquatic environment in Greece by SDS-PAGE and RAPD analysis *E. Sazakli, M. Leotsinidis, A. Vantarakis & M. Papapetropoulou*

1204 Effect of individual amino acids and glucose on activation and germination of *Rhizopus oligosporus* sporangiospores in tempe starter *N.V. Thanh, F.M. Rombouts & M.J.R. Nout*

1215 Water, temperature and gas composition interactions affect growth and ochratoxin A production by isolates of *Penicillium verrucosum* on wheat grain *V. Cairns-Fuller, D. Aldred & N. Magan*

1222 Microbiological and biochemical changes in pearl spot (*Etroplus suratensis* Bloch) stored under modified atmospheres *K.V. Lalitha, E.R. Sonaji, S. Manju, L. Jose, T.K.S. Gopal & C.N. Ravisankar*

1229 An investigation of the thermal inactivation of *Staphylococcus aureus* and the potential for increased thermotolerance as a result of chilled storage *J. Kennedy, I.S. Blair, D.A. McDowell & D.J. Bolton*

1236 Production of *Propionibacterium shermanii* biomass and vitamin B12 on spent media *N. Gardner & C.P. Champagne*

1246 Rapid differentiation and enumeration of the total, viable vegetative cell and spore content of thermophilic bacilli in milk powders with reference to *Anoxybacillus flavithermus A. Rueckert, R.S. Ronimus & H.W. Morgan*

1256 Detection and risk assessment of adenoviruses in swimming pool water *J. van Heerden, M.M. Ehlers & W.O.K. Grabow*

1265 Genotypic comparison of bacteria recovered from human bite marks and teeth using arbitrarily primed PCR *M. Rahimi, N.C.K. Heng, J.A. Kieser & G.R. Tompkins*

1271 Isolation and identification of nitrogen-fixing bacilli from plant rhizospheres in Beijing region *Y. Ding, J. Wang, Y. Liu & S. Chen*

Volume 99, Issue 6, December 2005

1283 A REVIEW: Antibiotic resistance in staphylococci associated with cats and dogs *S. Malik, H. Peng & M.D. Barton*

1294 Suitability of bifidobacteria and thymol as biopreservatives in extending the shelf life of fresh packed plaice fillets *C. Altieri, B. Speranza, M.A. Del Nobile & M. Sinigaglia*

1303 Effect of *Lactobacillus*-protective cultures with bacteriocin-like inhibitory substances' producing ability on microbiological, chemical and sensory changes during storage of refrigerated vacuum-packaged sliced beef *P. Katikou, I. Ambrosiadis, D. Georgantelis, P. Koidis & S.A. Georgakis*

1314 Growth and bacteriocin production kinetics of *Leuconostoc mesenteroides* E131 *E.H. Drosinos, M. Mataragas, P. Nasis, M. Galiotou & J. Metaxopoulos*

1324 Interaction of air ions and bactericidal vapours to control micro-organisms *L.F. Gaunt, S.C. Higgins & J.F. Hughes*

1330 Influence of fermentation time, cryoprotectant and neutralization of cell concentrate on freeze-drying survival, storage stability, and acid and bile exposure of *Bifidobacterium animalis* ssp. *lactis* cells produced without milk-based ingredients *M. Saarela, I. Virkajärvi, H.-L. Alakomi, T. Mattila-Sandholm, A. Vaari, T. Suomalainen & J. Mättö*

1340 Evaluation of chromogenic media for the detection of *Listeria* species in food *M. Greenwood, C. Willis, P. Doswell, G. Allen & K. Pathak*

1346 *In vitro* pharmacodynamic evaluation of antiviral medicinal plants using a vector-based assay technique *C.O. Esimone, T. Grunwald, O. Wildner, G. Nchinda, B. Tippler, P. Proksch & K. Überla*

1356 A survey of ammonia-assimilating micro-organisms in cattle manure composting *H. Sasaki, H. Yano, T. Sasaki & Y. Nakai*

1364 Synergistic effect of enterocin AS-48 in combination with outer membrane permeabilizing treatments against *Escherichia coli* O157:H7 *S. Ananou, A. Gálvez, M. Martínez-Bueno, M. Maqueda & E. Valdivia*

1373 Cytotoxicity and apoptosis induction of some selected marine bacteria metabolites *J. Lin, X.-J. Yan, L. Zheng, H.-H. Ma & H.-M. Chen*

1383 Effects of culture conditions on the growth and auto-aggregation ability of vaginal *Lactobacillus johnsonii* CRL 1294 *M.S. Juárez Tomás, B. Wiese & M.E. Nader-Macías*

1392 Assessing the role of alkane hydroxylase genotypes in environmental samples by competitive PCR *S. Heiss-Blanquet, Y. Benoit, C. Maréchaux & F. Monot*

1404 Enhancement of lactate and succinate formation in *adhE* or *pta-ackA* mutants of NADH dehydrogenase-deficient *Escherichia coli N.-R. Yun, K.-Y. San & G.N. Bennett*

1413 Volatile compounds of Soumbala, a fermented African locust bean (*Parkia biglobosa*) food condiment *L.I.I. Ouoba, B. Diawara, N.T. Annan, L. Poll & M. Jakobsen*

1422 Sampling methodologies and dosage assessment techniques for submicrometre and ultrafine virus aerosol particles *C.J. Hogan Jr, E.M. Kettleson, M.-H. Lee, B. Ramaswami, L.T. Angenent & P. Biswas*

1435 Invasive phenotype and apoptosis induction of *Plesiomonas shigelloides* P-1 strain to Caco-2 cells *H. Tsugawa, T. Ono, H. Murakami & Y. Okawa*

1444 Bacterial biodegradation of aliphatic sulfides under aerobic carbon- or sulfur-limited growth conditions *K.M. Kirkwood, S. Ebert, J.M. Foght, P.M. Fedorak & M.R. Gray*

1455 Occurrence of *Cryptosporidium* spp. oocysts in raw and treated sewage and river water in north-eastern Spain *M. Montemayor, F. Valero, J. Jofre & F. Lucena*

1463 Assessment of anaerobic wastewater treatment failure using terminal restriction fragment length polymorphism analysis *C. Scully, G. Collins & V. O'Flaherty*

1472 Pulsed-field gel electrophoresis, plasmid profiles and phage types for the human isolates of *Salmonella enterica* serovar Enteritidis obtained over 13 years in Taiwan *J.-C. Pang, T.-H. Chiu, C.-S. Chiou, A. Schroeter, B. Guerra, R. Helmuth & H.-Y. Tsen*

1484 Effect of mechanical abrasion on the viability, disruption and germination of spores of *Bacillus subtilis C.A. Jones, N.L. Padula & P. Setlow*

1495 Proteolytic activity and reduction of gliadin-like fractions by sourdough lactobacilli *G. Rollán, M. De Angelis, M. Gobbetti & G.F. de Valdez*

1503 Environmental factors influencing the relationship between optical density and cell count for *Listeria monocytogenes K. Francois, F. Devlieghere, A.R. Standaert, A.H. Geeraerd, I. Cools, J.F. Van Impe & J. Debevere*

1516 Anti-bacterial activity of *Lactobacillus plantarum* strain SK1 against *Listeria monocytogenes* is due to lactic acid production *A.R. Wilson, D. Sigee & H.A.S. Epton*

1523 Index